



slimSASH

Slim 70mm PVCu Casement Window



STANDARD



6-chamber profile

STANDARD



Chamfered bead

OPTIONAL



Sculptured bead

Platinum[®]
NRG

www.platinumnrg.co.uk

HARDWARE OPTIONS



WHITE

BLACK

BRIGHT
CHROME

GOLD

ANTIQUE
BLACK

GRAPHITE

BRIGHT
BRONZE

ANTHRACITE

STANDARD FINISHES

A select range of hardware finishes are available to suit contemporary or traditional installations.

PlatinumNRG[®] Chamfered




Whitegrain



Oak



Rosewood



White



Interior
Oak
on White



Interior
Rosewood
on White


PlatinumNRG[®] Sculptured




Rosewood



Oak



Black



Cream



Interior
Rosewood
on White



Interior
Oak
on White




Interior
Black
on White



Whitegrain

OPTIONAL FINISHES


A wide range of woodgrain and coloured-foil options are available for either or both internal and external faces or even differing frames and sashes.



STANDARD Easy-Clean Hinges



The Easy-Clean hinges enable the sash to be opened at 90 degrees



By pressing down on the purple button, the sash is released and can slide along its hinge runner



This now gives access to the front of the sash from indoors for cleaning.

slimSASH

Fusion-welded frame

Ultra-low profile glazing gasket means gasket is almost invisible

Adjustable friction stays for top-hung windows.
Easy-clean/ fire escape friction stays for side-hung windows

High security, multi-point locking system comprising of roller-cam bolts, twin shoot-bolts and optional hinge bolts

Push-button, key lockable handles, available in a choice of colours incorporating an additional, lockable night vent position

A choice of either black, white or grey, warm edge spacer bar

Slimline profile minimises the frame thickness and maximises the glass area

High-impact modified PVCu to prevent cracking with age or extreme cold

Internally glazed for enhanced security


Double-glazed unit uses clear **SGG Planitherm TOTAL+** energy glass, to achieve maximum amounts of incoming light, and an 'A' Energy Rating

**Platinum**[®]
NRG

www.platinumnrg.co.uk

The key-feature of the PlatinumNRG[®] SlimSASH casement window is the reduced sash width compared to standard 70mm windows.

This slimmer design allows for a greater glass area meaning more daylight coming in and a better view out.



PlatinumNRG slimSASH

PlatinumNRG

NEW slimSASH PROFILE

Slimmer sash allows an extra 10mm of glass thereby increasing your view from the inside and the amount of light coming in from the outside.

GLOSS FINISH

Polished finish reduces cleaning and maintenance and retains a cleaner look for longer, helping resist airborne pollutants and moulds

HIGH TECHNOLOGY

High-tech 6-chamber design intelligently uses structural PVCu for high strength in both the sash and the frame

CHOICE OF FINISHES

A selection of standard colours or an extensive range of pre-finished foils are available

100% LEAD FREE PVCu

Completely free of poisonous lead stabilisers

TRIPLE GLAZING


Also available with a triple-glazed sealed unit

ENERGY EFFICIENCY*

KEEPING THE HEAT IN

PlatinumNRG[®] SlimSASH is one of the best performing products on the market, taking full advantage of the increased thermal efficiency offered by its six chamber profile.

KEEPING THE COLD OUT



*available up to A++